

Author Index

VOLUME 19, 2002

- Abe, Yoshifusa, 267
Abel, Ernest L., 49
Abulaimoun, Bdair, 55
Addis, Antony, 311
Ahotupa, Markku, 279
Airas, Urpu, 127
Al-Hathal, Muneef, 55
Al-Hathlol, Khalid, 55
Al-Mane, Khalid, 55
Al-Tawil, Khalil, 55
Aliefendioglu, Didem, 303, 333
Amato, M., 317
Amir, Jacob, 109
Anttila, Maarit, 451
Armstrong, D., 247
Arnon, Judy, 311
Arslan, Murat, 87
Asano, Kimisato, 31
Ashbel, Gina, 115
Aslan, Ayşe Tana, 303
Auld, Peter A.M., 155
Avent, Minyon L., 413
Awonusonu, Feyisola O., 349
- Bar, Jacob, 355
Bar-Hava, Itai, 355
Barr, Joseph, 67
Bartmann, P., 285
Battin, M.R., 247
Bell, Anthony, 197
Ben-Haroush, Avi, 355
Berkovitch, Matitiah, 67, 311
Bertini, Giovanna, 439
Betta, P., 317
Black, Philip, 323
Bloomenthal, Dena, 37
- Bonduelle, Maryse, 59
Borroni, Cesarina, 341
Boutin, Christine, 73
Brenner-Zada, Galit, 67
Broberg, Jeffrey C., 445
Bulkowstein, Mordechai, 67
Burchette, Raoul, 387
Burd, Larry, 49
- Cakmak, Fatma Nur, 303
Cantagrel, Sylvain, 297
Cardia, Giuseppe, 241
Carignan, Eva, 81
Carpenter, Mary, 273
Castelnau, Pierre, 297
Chang, Shiuh-Young, 17
Changchien, Chan-Chao, 17
Chen, Feng-Shun, 139
Chevalier, Jennifer, 435
Chiarelli, Silvia, 379
Chung, Mei-Yung, 139
Cohen, Shlomo B., 291
Colditz, Paul B., 119
Colombo, Carla, 341
Corpuz, Maria, 197
Coskun, Mesut, 427
Curreri, R., 317
- Dani, Carlo, 439
Das, Bibhuti B., 395
Delisle, Marie-France, 37
Dembinski, J., 285
Dermendjian, Mariette, 155
Devroey, Paul, 59
Dietrich, Yvonne, M., 235
Distefano, G., 317
- DiTomasso, John, 273
Dollberg, Shaul, 115, 215
- East, Christine E., 119
Elbirt, Daniel, 311
Epps, Susan, 205
Erdem, Ahmet, 87
Erdem, Gülşen, 333
Erdem, Mehmet, 87
Erez, Izhar, 291
- Fait, Vladimir, 93
Farmer, Richard, 273
Feldman, Noa, 239
Fujimori, Keiya, 31
Fujita, Yasuyuki, 189
Fusi, Franco, 439
- Ghidini, Alessandro, 341
Giacomin, Carlo, 379
Gilttri, Giuseppe, 341
Gladman, Gordon, 73
Glezerman, Marek, 239
Goldberg, Jay M., 387
Gray, Cathy, 197
Greenberg, Revital, 67, 311
Gunduz, Mehmet, 303
Gura, Askin, 427
Gursoy, Tugba, 303
- Haberal, Ali, 303
Harel, Daniella, 109
Harrington, Thomas, 367
Hasegawa, Keiko, 405
Hashimoto, Toshihiro, 31
Heep, A., 285

- Heiman, Eli, 67
 Heinonen, Seppo, 127, 451
 Herson, Victor, 81
 Himmetoğlu, Özdemir, 87
 Hiroma, Takehiko, 221
 Hirsh, Yael, 93
 Hod, Moshe, 355
 Horie, Hiroshi, 267
 Hsu, Te-Yao, 17
 Hsueh, Chuen, 149
 Huang, Chung-Bin, 139
 Hung, Fang-Chih, 17
 Hung, Iou-Jih, 149
 Hutchison, Alastair A., 349
- Iikura, Yoji, 267
 Ingardia, Charles J., 81
 Isaja, M.T., 317
 Istre, Gregory R., 413
 Iusco, Domenico, 241
- Jadcherla, Sudarshan R., 435
 Jain, Renu, 99
 Jaing, Tang-Her, 149
- Kääpä, Pekka O., 279
 Kaneko, Tsuyoshi, 221
 Kaplan, Boris, 355
 Karadogan, Ihsan, 427
 Kato, Hiroshi, 405
 Katz, Vern L., 273
 Kau, N., 285
 Kazma, Alia, 1
 Khalil, Ali M., 1
 Khotaba, Samiya, 93
 Khoury, Samer, 93
 Kim, Mijung, 197
 Kinney, Janet S., 413
 Kirkinen, Pertti, 163
 Kizilers, Aytug, 427
 Knight, D., 247
 Knöfle, G., 285
 Kogan, Inna, 291
 Komiyama, Atsushi, 221
 Kong, Jason, 169
 Kosma, Veli-Matti, 451
 Kozak, Sharon E., 169
 Krauss, Alfred N., 155
 Kreiser, Doron, 291
- Kruger, Michael, 49
 Kung, Fu-Tsai, 17
- Laleli, Yahya Rauf, 303
 Lantos, John, 197
 Laskin, Carl, 73
 Law, Yuk, 73
 Leef, Kathleen, 205
 Liebaers, Inge, 59
 Lien, Rey-In, 149
 Lin, Jer-Nan, 149
 Liu, William F., 367
 Locke, Robert, 205
 Lohan, Abha, 361
 Lu, Chia-Shun, 149
 Lu, Ying-Jen, 17
 Lurie, Samuel, 239
 Luy, Lily, 73
 Lysikiewicz, Andrzej J., 421
- Magee, Laura, 311
 Maheut, Josette, 297
 Maier, Ludwig, 23
 Marcovici, Iacob, 177
 Marshall, Colleen J., 169
 Marzano, David, 177
 Marzari, Francesco, 379
 Mather, Jeffrey, 81
 Mathur, Amit, 401
 Matsumoto, Michihiro, 267
 Maury, Laure, 297
 Mazzota, Paul, 311
 McElrath, Thomas F., 9
 Meadow, William, 197
 Melhem, Ziad, 1
 Melino, Rocco, 241
 Mendez, David, 197
 Merlob, Paul, 311
 Mimouni, Francis B., 115, 215
 Miwa, Ichiro, 405
 Mizuno, Katsumi, 267
 Mizutani, Kayo, 267
 Moretti, Myla, 311
- Nacchiero, Michele, 241
 Nagaraj, Anasuya, 395
 Nakamura, Tomohiko, 221
 Nakano, Hitoo, 189
 Nakata, Masahiko, 405
- Napolitano, Peter G., 235, 445
 Nassar, Anwar H., 1
 Neri, Vincenzo, 241
 Nissimov, Jacob, 93
 Norwitz, Errol R., 9
 Nour, Nawal, 9
 Nussinovitch, Amos, 109
 Nussinovitch, Moshe, 109
- Oettinger, Moshe, 93
 Okawa, Toshiaki, 31
 Okuma, Akiko, 189
 Ophir, Ela, 93
 Ornoy, Asher, 311
 Ott, William J., 133
 Ou, Chia-Yu, 17
 Oygur, Nihal, 427
- Pareth, Gideon, 67
 Parker, Jason D., 445
 Parviainen, Anna-Maria, 163
 Patané, Luisa, 341
 Pauly, Thomas H., 349
 Perri, Tamar, 355
 Pezzati, Marco, 439
 Piva, Daniele, 439
 Pohlandt, Frank, 23
 Prais, Dario, 109
 Puolakka, Jukka, 163
- Ragas, Rasa, 99
 Rajegowda, Benamanahalli K., 395
 Rao, Andavolu H., 395
 Ratan, John, 181, 361
 Ratan, Simmi K., 181, 361
 Rinaldi, Andrea, 379
 Riskin-Mashiah, Shlomit, 225
 Roan, Cherng-Jau, 17
 Robinson, Julian N., 9
 Romeo, M.G., 317
 Rotmensch, Sigi, 239
 Roychaudhary, Ruma, 361
 Rubaltelli, Firmino F., 439
 Ruutu, Merja, 279
- Saarikoski, Seppo, 451
 Sase, Masakatsu, 405
 Sato, Akira, 31

- Sato, Shoji, 189
Savio, Valentina, 379
Schiff, E., 291
Schuler-Faccini, Lavinia, 311
Seidman, Daniel S., 291
Sela, Shifra, 93
Senes, Mehmet, 303
Seth, Rajiv, 181
Seoud, Muhieddine A.-F., 1
Shapira, Boris, 215
Sherer, David M., 253, 421
Silverman, Earl D., 73
Skinner, J., 247
Smallhorn, Jeffrey F., 73
Smith, E. O'Brian, 225
Soukka, Hanna R., 279
Spear, Michael L., 205
Stahl, Bracha, 311
Steirteghem, André Van, 59
Sumie, Masahiro, 405

Taboada, Eugenio, 323
Takeuchi, Toshio, 267

Tamaka, Masatoshi, 189
Tamura, Masanori, 221
Tarasova, Lidiya, 93
Tessier, Francine, 37
Thibeault, Donald W., 323
Thomasma, David C., 99
Thompson, David M., 169
Tkach, Michael, 93
Toivonen, Sari, 451
Tong, Suet On, 169
Toutain, Annick, 297
Trotter, Andreas, 23
Tsang, Peter, 37
Tülek, Necla, 333


Uguz, Aysen, 427
Usta, Ihab M., 1

Vachharajani, Akshaya, 401
Varma, Swati, 155
Vergani, Patrizia, 341
Vinay, Betsy, 181
Volovitz, Benjamin, 109

Wax, Joseph R., 81
Whitfield, Jonathan M., 413
Wilkins, Isabelle A., 225
Wylie, Bernice R., 169

Yacov, Gala, 115
Yamamoto, Anne-Marie, 297
Yamaoka, Akiko, 267
Yanagida, Kaoru, 31
Yegin, Olcay, 427
Yeruchimovich, Mark, 215
Yildirim, Gizem, 87
Yogev, Yariv, 355
Yoldas, Burcak, 427
Yurdakök, Murat, 333
Yuzbey, Selma, 427

Zanardo, Vincenzo, 379
Ziel, Harry K., 387



Subject Index

VOLUME 19, 2002

- Activated protein C resistance (APCR)
Factor V Leiden mutation, pregnancy complications, 37-45
maternal floor infarction, low-molecular-weight heparin therapy, 273-277
- Adhesion molecules, soluble ICAM-1, neonatal and maternal serum levels, preeclampsia and normal pregnancies, 333-339
- Air emboli, neonatal intracranial venous sinuses, 55-58
- "Air leak syndrome" (ALS). *See* Pulmonary interstitial emphysema (PIE)
- Akinesia, fetal-onset neonatal myasthenia, 297-300
- Aminoglycosides, dosing regimens, gentamicin and tobramycin, extended interval *vs.* traditional multiple daily dosing, 413-418
- Amniotic fluid
isolated oligohydramnios dynamics, 253-263
meconium aspiration, delivery room risk factors, 367-376
persistent hyperinsulinemic hypoglycemia of infancy (PHHI), antepartum findings, 163-168
- Aneurysm, pregnancy-related vascular emergency, 241-246
- Antepartum testing, persistent hyperinsulinemic hypoglycemia of infancy (PHHI), 163-168
- Antibiotic prophylaxis, neonatal group B streptococcus (GBS) disease, prevention strategies, 341-347
- Anticoagulant therapy, Factor V Leiden mutation, pregnancy outcome, 41-45
- Anti-La antibodies, fetal echocardiographic screening in anti-Ro and/or anti-La antibody mothers, 73-77
- Antioxidants, hyperemesis gravidarum (HG) and oxidative stress, 93-97
- Anti-Ro antibodies, fetal echocardiographic screening in anti-Ro and/or anti-La antibody mothers, 73-77
- Apoptosis, cord blood neutrophils, apoptosis and response to colony-stimulating factors, 427-432
- Arnold-Chiari type I malformation, maternal, labor management issues, 445-448
- Arterial/alveolar PO₂ ratio, functional residual capacity (FRC) and surfactant response in preterm infants, 155-161
- Arthrogryposis, fetal-onset neonatal myasthenia, 297-300
- Asphyxia, perinatal asphyxia and periventricular white matter lesions, protein S-100 serum levels, 317-321
- Assisted reproductive technology (ART), fetal outcome studies, 59-64
- Birth weight, maternal and paternal age, Caucasian and Native American populations, effects on, 49-54
- Bladder complications, Potter sequence, congenital cystic bladder lesion complication, 267-271
- Brain echolucency, transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Breast engorgement, preterm labor magnesium sulfate therapy, 239-240
- Bronchopulmonary dysplasia (BPD), low-birth-weight infants, leukemoid reaction and bronchopulmonary dysplasia, 379-385
- Calcium balance, extremely preterm infants, estradiol/progesterone replacement, 23-28

- Car seats, preterm infants in, in car seats, head support and oxygen saturation effects, 115-117
- Caucasian populations, maternal/paternal age, effects on preterm birth and birth weight in, 49-54
- Cerebrospinal fluid (CSF), febrile neonates, lactic dehydrogenase reference values and isoenzyme distribution, 109-114
- Cesarean delivery (CS)
external cephalic version (ECV) and, 355-359
maternal age and, 1-6
- Colony-stimulating factors (CSF), cord blood neutrophil apoptosis and response, 427-432
- Computed tomography (CT) imaging, pulmonary interstitial emphysema (PIE), spontaneous breathing in preterm infant, 285-289
- Congenital complete heart block (CCHB), fetal screening in anti-Ro and/or anti-La antibody mothers, 73-77
- Continuous hemodiafiltration (CHDF), neonatal onset hyperammonemia, 221-224
- Coping strategies, family reactions during infant NICU hospitalization, 205-213
- Cord blood. *See* Umbilical cord blood
- Cranial epidural hematoma, vacuum extraction complication, ultrasound-guided needle aspiration, 401-404
- Craniosynostosis, fetal-onset neonatal myasthenia, 297-300
- Cystic bladder, Potter sequence, congenital cystic bladder lesion complication, 267-271
- Cystic lung disease, pulmonary interstitial emphysema (PIE), spontaneous breathing in preterm infant, CT imaging, 285-289
- Delivery complications
external cephalic version, delivery following, 355-359
maternal age and, 1-6
meconium aspiration
neutrophil oxidative burst, 279-283
risk factors, 367-376
respiratory distress syndrome (RSD) risk, elective delivery, 81-85
ultrasound-guided needle aspiration of neonatal cranial epidural hematoma, vacuum extraction complication, 401-404
- Diagnosis
Helicobacter pylori seropositivity in hyperemesis gravidarum, symptom correlation, 87-92
intrauterine growth restriction (IUGR), ultrasound diagnosis, parameter comparisons, 133-136
intrauterine synechia, doppler velocimetry assisted diagnosis, 421-424
- Diuretics, hypertensive disorders of pregnancy, postpartum renal failure and pancreatitis, 177-179
- Doppler ultrasound, placental abruption, reproductive risk factors, Doppler findings, population-based analysis, 451-458
- Doppler velocimetry, intrauterine synechia, diagnosis using, 421-424
- Dosing guidelines, gentamicin and tobramycin, extended interval *vs.* traditional multiple daily dosing, 413-418
- Double basket catheterization, primary fetal hydrothorax, 405-410
- Down Syndrome, social stigma of, 99-107
- Echocardiography
fetal screening in anti-Ro and/or anti-La antibody mothers, 73-77
Staphylococcus aureus endocarditis in preterm neonates, 247-251
- Elective delivery, respiratory distress syndrome (RSD) risk and, 81-85
- Endocarditis, *Staphylococcus aureus* endocarditis in preterm neonates, 247-251
- Epidural anesthesia, fetal intrapartum oxygen saturation, 119-125
- Episiotomy, perineal tear risk factors, 225-233
- Estradiol replacement, extremely preterm infants, calcium/phosphorus balance, 23-28
- Ethics
neonatal ventilation facilities in Illinois and Wisconsin, regionalization of neonatal care and, 197-202
social attitudes toward Down Syndrome children, 99-107
- External cephalic version (ECV), delivery procedures following, 355-359
- Extravasation complications, spontaneous renal pelvis rupture, 189-194
- Extreme prematurity. *See also* Preterm births
calcium/phosphorus balance, estradiol and progesterone replacement, 23-28
management trends, 9-14

- Factor V Leiden mutation (FVL)
 activated protein C resistance (APCR), maternal floor infarction, low-molecular-weight heparin therapy, 273-277
 pregnancy complications, 37-45
- Familial pulmonary lymphatic hypoplasia, fetal hydrops and, 323-330
- Family coping strategies, family reactions during infant NICU hospitalization, 205-213
- Fava beans, neonatal nucleated red blood cells and G6PD deficiency, 215-218
- Fetal heart rate (FHR), maternal epidural anesthesia and fetal intrapartum oxygen saturation, 119-125
- Fetal hemolysis, neonatal nucleated red blood cells and G6PD deficiency, 215-218
- Fetal-onset neonatal myasthenia, presentation and outcome, 297-300
- Fetal viability and demise. *See also* Neonatal survival; Perinatal outcome
 extreme prematurity, management trends, 9-14
 hydrops and familial pulmonary lymphatic hypoplasia, 323-330
 maternal floor infarction, activated protein C resistance (APCR), low-molecular-weight heparin therapy, 273-277
 placental abruption, reproductive risk factors, Doppler findings, population-based studies, 451-458
 primary aldosteronism in pregnancy, diagnosis and management, 31-35
 primary fetal hydrothorax, double basket catheterization, 405-410
- Fever in neonates, lactic dehydrogenase reference values and isoenzyme distribution in cerebrospinal fluid (CSF), 109-114
- Fiberoptic phototherapy, hyperbilirubinemic neonates, conventional *vs.* fiberoptic phototherapy, skin temperature changes, 439-442
- Functional residual capacity (FRC), surfactant response in preterm infants and, 155-161
- Galactorrhea, preterm labor magnesium sulfate therapy, 239-240
- Gastric duplication (GD), neonatal pneumoperitoneum and vertebral anomalies, gastric duplication cyst presentation, 361-365
- Gastroesophageal reflux, laryngotracheo-esophageal cleft (LTEC) repair, survivor studies, 181-186
- Genamicin, dosing regimens, extended interval *vs.* traditional multiple daily dosing, 413-418
- Geographic factors
 regionalization of neonatal care, ventilation facilities in Illinois and Wisconsin, 197-202
 varicella immune status in obstetric population, place of birth and, 387-393
- Gestational age
 extreme prematurity, management trends, 9-14
 respiratory distress syndrome (RSD), elective delivery and, 81-85
- Glucose-6-phosphate dehydrogenase deficiency, neonatal nucleated red blood cells and, 215-218
- Glutathione reduction, hyperemesis gravidarum (HG) and oxidative stress, 93-97
- Granulocyte-colony-stimulating factor (G-CSF)
 cord blood neutrophils, apoptosis and response to colony-stimulating factors, 427-432
 low-birth-weight infants, bronchopulmonary dysplasia and leukemoid reaction, 379-385
- Group B streptococcus (GBS) disease, prevention strategies, neonatal outcome, 341-347
- Head support, preterm infants in car seats, oxygen saturation effects with, 115-117
- Helicobacter pylori*, seropositivity in hyperemesis gravidarum, symptom correlation, 87-92
- Heparin therapy, maternal floor infarction, activated protein C resistance (APCR), 273-277
- Hepatoblastoma, very low birth weight (VLBW) children, 149-152
- Herpes simplex virus (HSV), acyclovir therapy, preterm premature membrane rupture, 235-237
- Hormone replacement, extremely preterm infants, calcium/phosphorus balance, 23-28
- Hyaline membrane disease (HMD), functional residual capacity (FRC) and surfactant response in preterm infants, 155-161
- Hydrops
 familial pulmonary lymphatic hypoplasia, 323-330
 primary fetal hydrothorax, double basket catheterization, 405-410
- Hyperammonemia, in neonates, continuous venovenous hemodiafiltration, 221-224
- Hyperbilirubinemic neonates, conventional *vs.* fiberoptic phototherapy, skin temperature changes, 439-442
- Hyperemesis gravidarum (HG)

- Helicobacter pylori* seropositivity, symptom correlation, 87-92
- oxidative stress and, 93-97
- Hypertensive disorders of pregnancy
- Factor V Leiden mutation, 41-45
- postpartum renal failure and pancreatitis, 177-179
- Iatrogenic prematurity, respiratory distress syndrome (RSD), elective delivery and, 81-85
- Illness severity ratings, transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and, 139-146
- Incidence studies, neonatal clavicular fracture, 17-21
- Intracranial venous sinuses, neonatal, air emboli in, 55-58
- Intracytoplasmic sperm injection (ICSI), fetal outcome studies, 59-64
- Intrauterine fetal death (IUFD), maternal age and, 1-6
- Intrauterine growth restriction (IUGR)
- Factor V Leiden mutation, 41-45
- ultrasound diagnosis, parameter comparisons, 133-136
- Intrauterine synechia, doppler velocimetry assisted diagnosis, 421-424
- In vitro fertilization (IVF), fetal outcome studies, 59-64
- Isoenzyme patterns, lactic dehydrogenase reference values in cerebrospinal fluid of febrile neonates, 109-114
- Labor complications
- maternal Arnold-Chiari type I malformation, management issues, 445-448
- maternal epidural anesthesia and fetal intrapartum oxygen saturation, 119-125
- preterm labor, magnesium sulfate therapy, breast engorgement and galactorrhea, 239-240
- Lactic dehydrogenase (LDH), reference values in cerebrospinal fluid of febrile neonates, 109-114
- Laryngotracheo-esophageal cleft (LTEC), repair, survivor studies, 181-186
- Leptin, preeclampsia and leptin physiology disruption, 303-309
- Leukemoid reaction, low-birth-weight infants, bronchopulmonary dysplasia and, 379-385
- Low birth weight (LBW)
- maternal and paternal age, Caucasian and Native American populations, effects on, 49-54
- neonatal leukemoid reaction and bronchopulmonary dysplasia, 379-385
- transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Low-molecular-weight heparin, maternal floor infarction, activated protein C resistance (APCR), 273-277
- Lung injury. *See also* Respiratory distress syndrome (RSD)
- fetal hydrops and familial pulmonary lymphatic hypoplasia, 323-330
- low-birth-weight infants, bronchopulmonary dysplasia and leukemoid reaction, 379-385
- meconium aspiration, neutrophil oxidative burst, 279-283
- Macrosomia, persistent hyperinsulinemic hypoglycemia of infancy (PHHI), antepartum findings, 163-168
- Macrotrabecular pattern, hepatoblastoma in very low birth weight (VLBW) children, 149-152
- Magnesium sulfate therapy, preterm labor, breast engorgement and galactorrhea, 239-240
- Maternal age
- pregnancy outcome and, 1-6
- preterm births and birth weight, effects in Caucasian and Native American populations, 49-54
- Maternal floor infarction, activated protein C resistance (APCR), low-molecular-weight heparin therapy, 273-277
- Mechanical ventilation facilities, in Illinois and Wisconsin, regionalization of neonatal care and, 197-202
- Meconium aspiration syndrome (MAS)
- delivery room risk factors, 367-376
- neutrophil oxidative burst, 279-283
- Metoclopramide therapy, pregnancy-related nausea and vomiting, multicenter international study, 311-315
- Mineral balance, extremely preterm infants, estradiol/progesterone replacement, 23-28
- Morbidity and mortality studies, perinatal mortality, maternal type I diabetes mellitus, 169-175
- Multilocular bladder, Potter sequence, congenital cystic bladder lesion complication, 267-271
- Multiple gestation, maternal serum uric acid concentration and, 291-295
- Myasthenia disorders, fetal-onset neonatal myasthenia, 297-300
- Native American populations, maternal/paternal age, effects on preterm birth and birth weight in, 49-54

- Nausea and vomiting, of pregnancy, metoclopramide therapy, multicenter international study, 311-315
- Neonatal intensive care unit (NICU)
- Down Syndrome children, social attitudes toward, 99-107
 - family reactions during infant hospitalization, 205-213
 - regionalization of, ventilation facilities in Illinois and Wisconsin, 197-202
 - unlicensed and off-label medications, prospective study, 67-72
- Neonatal lupus erythematosus (NLE), fetal screening in anti-Ro and/or anti-La antibody mothers, 73-77
- Neonatal onset hyperammonemia, continuous venovenous hemodiafiltration, 221-224
- Neonatal survival. *See also* Fetal viability and demise; Perinatal outcome
- assisted reproductive technology (ART) and, 59-64
 - extreme prematurity, management trends, 9-14
 - fetal hydrops and familial pulmonary lymphatic hypoplasia, 323-330
 - fetal-onset neonatal myasthenia, 297-300
 - group B streptococcus (GBS) disease, prevention strategies, 341-347
 - meconium aspiration, delivery room risk factors, 367-376
 - placental abruption, reproductive risk factors, Doppler findings, population-based studies, 451-458
 - tracheal agenesis, case studies and literature review, 395-399
- Neonatal therapeutic intervention scoring system (NTISS), transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Neonates
- air emboli in intracranial venous sinuses, 55-58
 - clavicular fracture, incidence, predisposing factors, diagnosis, and outcome, 17-21
 - cranial epidural hematoma, vacuum extraction complication, ultrasound-guided needle aspiration, 401-404
 - dosing regimens, gentamicin and tobramycin, extended interval *vs.* traditional multiple daily dosing, 413-418
 - G6PD deficiency in, nucleated red blood cells, 215-218
 - hyperbilirubinemic neonates, conventional *vs.* fiberoptic phototherapy, skin temperature changes, 439-442
 - lactic dehydrogenase reference values in cerebrospinal fluid of febrile neonates, 109-114
 - laryngotracheo-esophageal cleft repair, survivor studies, 181-186
 - parotid swelling in premature neonates, 435-437
 - pneumoperitoneum and vertebral anomalies, gastric duplication cyst presentation, 361-365
 - polycythemia, partial exchange transfusion, maternal smoking and, 349-353
 - soluble ICAM-1 serum levels, preeclampsia and normal pregnancies, 333-339
 - Staphylococcus aureus* endocarditis in preterm neonates, 247-251
- Neutrophils
- cord blood neutrophils, apoptosis and response to colony-stimulating factors, 427-432
 - meconium aspiration, neutrophil oxidative burst, 279-283
- Obesity, maternal, preeclampsia and leptin physiology disruption, 303-309
- Obstetric practice issues
- extreme prematurity, management trends, 9-14
 - maternal Arnold-Chiari type I malformation, labor management issues, 445-448
 - meconium aspiration, delivery room risk factors, 367-376
 - varicella immune status in obstetric population, place of birth and, 387-393
- Off-label medications, neonatal intensive care unit (NICU), prospective studies, 67-72
- Oligohydramnios
- amniotic fluid dynamics, isolated oligohydramnios, 253-263
 - Potter sequence, congenital cystic bladder lesion, 267-271
- Orphan drugs, neonatal intensive care unit (NICU), prospective studies, 67-72
- Outcome studies
- assisted reproductive technology (ART), neonatal outcome, 59-64
 - Factor V Leiden mutation, 41-45
 - maternal age and perinatal outcome, 1-6
 - neonatal clavicular fracture, 17-21
 - umbilical cord knots and pregnancy outcome, population-based analysis, 127-131
- Oxidative stress
- hyperemesis gravidarum (HG) and, 93-97
 - meconium aspiration, neutrophil oxidative burst, 279-283

- Oxygen saturation
maternal epidural anesthesia and fetal intrapartum saturation, 119-125
preterm infants in car seats, effect of head support on, 115-117
- Pancreatic hyperplasia, persistent hyperinsulinemic hypoglycemia of infancy (PHHI), 163-168
- Pancreatitis, hypertensive disorders of pregnancy, postpartum renal failure and pancreatitis, 177-179
- Parotid swelling, in premature neonates, 435-437
- Partial exchange transfusions, neonatal polycythemia, maternal smoking and, 349-353
- Paternal age, preterm births and birth weight, effects in Caucasian and Native American populations, 49-54
- Pediatric practice issues
dosing regimens, gentamicin and tobramycin, extended interval *vs.* traditional multiple daily dosing, 413-418
Down Syndrome children, social attitudes towards, 99-107
tracheal agenesis, case studies and literature review, 395-399
- Perinatal outcome. *See also* Fetal viability and demise; Neonatal survival
asphyxia and periventricular white matter lesions, serial protein S-100 serum levels, 317-321
intrauterine growth restriction (IUGR), ultrasound diagnosis, parameter comparisons, 133-136
isolated oligohydramnios, amniotic fluid dynamics, 253-263
maternal age and, 1-6
neonatal clavicular fracture, 17-21
Potter sequence, congenital cystic bladder lesion complication, 267-271
type I diabetic mothers, perinatal mortality, 169-175
- Perineal tear, risk factors, 225-233
- Persistent hyperinsulinemic hypoglycemia of infancy (PHHI), antipartum findings and obstetrical aspects, 163-168
- Pharmacokinetics, dosing regimens, gentamicin and tobramycin, extended interval *vs.* traditional multiple daily dosing, 413-418
- Phosphorus balance, extremely preterm infants, estradiol/progesterone replacement, 23-28
- Phototherapy, hyperbilirubinemic neonates, conventional *vs.* fiberoptic phototherapy, skin temperature changes, 439-442
- Placental abruption
Factor V Leiden mutation, 41-45
reproductive risk factors, Doppler findings, population-based analysis, 451-458
- Plasma aldosterone concentration (PAC), primary aldosteronism in pregnancy, diagnosis and management, 31-35
- Plasma renin activity (PRA) values, primary aldosteronism in pregnancy, diagnosis and management, 31-35
- Pneumoperitoneum, neonatal pneumoperitoneum and vertebral anomalies, gastric duplication cyst presentation, 361-365
- Polycythemia, partial exchange transfusion in neonates, maternal smoking and, 349-353
- Population-based studies, placental abruption, reproductive risk factors, Doppler findings, 451-458
- Postpartum complications
breast engorgement and galactorrhea, preterm labor magnesium sulfate therapy, 239-240
hypertensive disorders of pregnancy, postpartum renal failure and pancreatitis, 177-179
Potter sequence, congenital cystic bladder lesion complication, 267-271
- Preeclampsia
leptin physiology, disruption of, 303-309
maternal serum uric acid concentration, multifetal gestation and, 291-295
neonatal and maternal soluble ICAM-1 serum levels, 333-339
- Pregnancy complications
activated protein C resistance (APCR), maternal floor infarction, low-molecular-weight heparin therapy, 273-277
factor V Leiden mutation, review, 37-45
fetal hydrops and familial pulmonary lymphatic hypoplasia, 323-330
hyperemesis gravidarum (HG), *Helicobacter pylori* seropositivity, symptom correlation, 87-92
hyperemesis gravidarum (HG), oxidative stress and, 93-97
hypertensive disorders of pregnancy, postpartum renal failure and pancreatitis, 177-179
intrauterine synechia, doppler velocimetry assisted diagnosis, 421-424
isolated oligohydramnios, amniotic fluid dynamics, 253-263
maternal age and, 1-6

- maternal serum uric acid concentration, fetal number effects, 291-295
- nausea and vomiting, metoclopramide therapy, multicenter international study, 311-315
- neonatal polycythemia, partial exchange transfusion, maternal smoking and, 349-353
- perineal tear risk factors, 225-233
- Potter sequence, congenital cystic bladder lesion complication, 267-271
- preeclampsia and leptin physiology disruption, 303-309
- preterm membrane rupture, primary herpes therapy, 235-237
- primary aldosteronism, diagnosis and management, 31-35
- renal pelvis spontaneous rupture, case report and literature review, 189-194
- soluble ICAM-1, neonatal and maternal serum levels, preeclampsia and normal pregnancies, 333-339
- type I diabetic mothers, perinatal mortality, 169-175
- umbilical cord knots, population-based analysis, 127-131
- varicella immune status and place of birth, 387-393
- vascular emergency, 241-246
- Pregnancy-induced hypertension (PIH). *See* Hypertensive disorders of pregnancy
- Pregnancy loss, Factor V Leiden mutation, 40-45
- Pregnancy outcome
- maternal age and, 1-6
 - neonatal clavicular fracture, 17-21
 - persistent hyperinsulinemic hypoglycemia of infancy (PHHI), antepartum findings, 163-168
 - type I diabetic mothers, perinatal mortality, 169-175
 - umbilical cord knots and, population-based analysis, 127-131
- Premature rupture of membranes, acyclovir therapy for primary herpes, 235-237
- Preterm births. *See also* Extreme prematurity
- family reactions during infant NICU hospitalization, 205-213
 - functional residual capacity (FRC) and surfactant response, 155-161
 - hepatoblastoma in very low birth weight (VLBW) children, 149-152
 - maternal age and, 1-6
 - maternal and paternal age, Caucasian and Native American populations, effects on, 49-54
 - neonatal complications, air emboli in intracranial venous sinuses, 55-58
 - parotid swelling in premature neonates, 435-437
 - perinatal asphyxia and periventricular white matter lesions, serial protein S-100 serum levels, 317-321
 - premature rupture of membranes, acyclovir therapy for primary herpes, 235-237
 - pulmonary interstitial emphysema (PIE), spontaneous breathing in preterm infant, CT imaging, 285-289
 - Staphylococcus aureus* endocarditis in preterm neonates, 247-251
 - transient hypothyroxinemia, abnormal ultracranial ultrasound and illness severity, 139-146
- Preterm infants, in car seats, head support and oxygen saturation in, 115-117
- Preterm labor, magnesium sulfate therapy, breast engorgement and galactorrhea, 239-240
- Primary aldosteronism, in pregnancy, diagnosis and management, 31-35
- Primary fetal hydrothorax, double basket catheterization, 405-410
- Primary herpes. *See* Herpes simplex virus (HSV)
- Progesterone replacement, extremely preterm infants, calcium/phosphorus balance, 23-28
- Prospective drug studies, unlicensed and off-label medications, neonatal intensive care unit (NICU), 67-72
- Protein S-100, perinatal asphyxia and periventricular white matter lesions, serum levels of, 317-321
- Pulmonary interstitial emphysema (PIE), CT imaging, spontaneous breathing in preterm infant, 285-289
- Pulse oximetry, maternal epidural anesthesia and fetal intrapartum oxygen saturation, 119-125
- Regionalization of neonatal care, ventilation facilities in Illinois and Wisconsin, 197-202
- Regression analysis, perineal tear risk factors, 225-233
- Renal failure, hypertensive disorders of pregnancy, postpartum renal failure and pancreatitis, 177-179
- Renal pelvis rupture, case report and literature review, 189-194
- Respiratory distress syndrome (RSD)
- elective delivery and risk of, 81-85
 - fetal hydrops and familial pulmonary lymphatic hypoplasia, 323-330
 - functional residual capacity (FRC) and surfactant response in preterm infants, 155-161

- Respiratory distress syndrome (*cont.*)
- primary fetal hydrothorax, double basket catheterization, 405-410
 - pulmonary interstitial emphysema (PIE), CT imaging, spontaneous breathing in preterm infant, 285-289
- Retroperitoneum, pregnancy-related vascular emergency, 241-246
- Risk factors
- meconium aspiration, delivery room risk factors, 367-376
 - neonatal clavicular fracture, 17-21
 - neonatal group B streptococcus (GBS) disease, prevention strategies, 341-347
 - perineal tear, 225-233
 - placental abruption, reproductive risk factors, Doppler findings, population-based analysis, 451-458
- Screening techniques, neonatal group B streptococcus (GBS) disease, prevention strategies, 341-347
- Serum uric acid, multifetal gestation, effect on maternal concentrations, 291-295
- Smoking mothers, neonatal polycythemia, partial exchange transfusion, 349-353
- Social attitudes, Down Syndrome children, 99-107
- Soluble ICAM-1 (sICAM-1), neonatal and maternal serum levels, preeclampsia and normal pregnancies, 333-339
- Standards of medical care, ventilation facilities in Illinois and Wisconsin, regionalization of neonatal care and, 197-202
- Staphylococcus aureus*, endocarditis in preterm neonates, 247-251
- Staphylococcus epidermidis*, parotid swelling in premature neonates, 435-437
- Stillbirth, umbilical cord knots, clinical significance, population-based analysis, 127-131
- Stress management, family reactions during infant NICU hospitalization, 205-213
- Suppurative parotitis, parotid swelling in premature neonates, 435-437
- Surfactant replacement, functional residual capacity (FRC) in preterm infants and response to, 155-161
- Survival rates
- extreme prematurity, management trends, 9-14
 - laryngotracheo-esophageal cleft (LTEC) repair, 181-186
- Syringomyelia, maternal Arnold-Chiari type I malformation, labor management issues, 445-448
- Systemic lupus erythematosus (SLE), fetal echocardiographic screening in anti-Ro and/or anti-La antibody mothers, 73-77
- Thracoamniotic shunting, primary fetal hydrothorax, double basket catheterization, 405-410
- Thrombophilia, Factor V Leiden mutation, pregnancy complications, 37-45
- Thyroid function testing, transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Tobramycin, dosing regimens, extended interval *vs.* traditional multiple daily dosing, 413-418
- Tocolysis, magnesium sulfate therapy, breast engorgement and galactorrhea, 239-240
- Tracheal agenesis, case studies and literature review, 395-399
- Tracheal meconium, meconium aspiration, delivery room risk factors, 367-376
- Transfusions, neonatal polycythemia, partial exchange transfusion, maternal smoking and, 349-353
- Transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Type I diabetes mellitus, in mothers, perinatal mortality, 169-175
- Ultrasound
- amniotic fluid dynamics, isolated oligohydramnios, 253-263
 - intrauterine growth restriction diagnosis, comparative analysis, 133-136
 - needle aspiration of neonatal cranial epidural hematoma, vacuum extraction complication, 401-404
 - transient hypothyroxinemia, abnormal ultracranial ultrasound and illness severity, 139-146
- Umbilical cord blood, neutrophils, apoptosis and response to colony-stimulating factors, 427-432
- Umbilical cord knots, pregnancy outcome, population-based analysis, 127-131
- Unlicensed medications, neonatal intensive care unit (NICU), prospective studies, 67-72
- Uterine abnormalities, intrauterine synechia, doppler velocimetry assisted diagnosis, 421-424

- Vaccines, varicella immune status in obstetric population, place of birth and, 387-393
- Vacuum extraction complications, neonatal cranial epidural hematoma, ultrasound-guided needle aspiration, 401-404
- Varicella immune status, obstetric population, place of birth and, 387-393
- Varicella zoster virus (VZV), immune status in obstetric population, place of birth and, 387-393
- Vascular disease, pregnancy-related vascular emergency, 241-246
- Venous thrombosis, Factor V Leiden mutation, pregnancy complications, 39-45
- Ventilation techniques, laryngotracheo-esophageal cleft (LTEC) repair, survivor studies, 181-186
- Vertebral anomalies, neonatal pneumoperitoneum and vertebral anomalies, gastric duplication cyst presentation, 361-365
- Very low birth weight (VLBW)
 - hepatoblastoma and, 149-152
 - Staphylococcus aureus* endocarditis in preterm neonates, 247-251
 - transient hypothyroxinemia of prematurity (THOP), abnormal ultracranial ultrasound and illness severity, 139-146
- Vomiting. *See* Nausea and vomiting
- White matter lesions, perinatal asphyxia and periventricular white matter lesions, protein S-100 serum levels, 317-321



